

Male infertility: an overview of etiology, diagnosis and management

 Belgin Devranoglu¹,  Tuğba Gürbüz²,  Arzu Yurci³

¹Department of Obstetrics and Gynecology, Health Sciences University Zeynep Kamil Women and Children's, Diseases Training and Research Hospital, İstanbul, Türkiye

²Department of Gynecology and Obstetrics Clinic, Medistate Hospital, İstanbul, Türkiye

³Department of Gynecology and Obstetrics, Memorial Bahçelievler Hospital IVF Department, İstanbul, Türkiye

Cite this article: Devranoglu B, Gürbüz T, Yurci A. Male infertility: an overview of etiology, diagnosis and management. *J Controv Obstetr Gynecol Ped.* 2024;2(2):34-37.

Corresponding Author: Belgin Devranoglu, bdevranoglu@superonline.com

Received: 26/03/2024

Accepted: 15/04/2024

Published: 29/04/2024

ABSTRACT

Male infertility, a multifaceted condition characterized by the inability to achieve pregnancy within a partner after a year of unprotected intercourse, affects approximately 7% of men globally. The etiology of male infertility is diverse, including genetic abnormalities, hormonal imbalances, physical obstructions, and lifestyle factors. This review synthesizes current knowledge on the causes, diagnostic methods, and therapeutic interventions for male infertility, with an emphasis on recent advances in genetic and assisted reproductive technologies (ART). The diagnostic approach to male infertility involves a comprehensive evaluation, including semen analysis, hormonal profiling, genetic testing, and imaging techniques, to identify underlying causes. Management strategies range from lifestyle modifications and pharmacological treatments to surgical interventions and ART, such as in vitro fertilization (IVF) and intracytoplasmic sperm injection (ICSI). Emerging technologies, including the use of artificial intelligence in semen analysis and the development of novel sperm retrieval techniques, promise to enhance diagnostic accuracy and treatment outcomes. Despite significant progress, challenges remain in improving access to care and addressing ethical considerations in the use of ART. This review highlights the importance of a multidisciplinary approach to the management of male infertility, integrating advances in medical science with considerations of patient well-being and ethical standards. Future research directions include elucidating the genetic basis of idiopathic male infertility, optimizing ART outcomes, and developing personalized treatment strategies. The ultimate goal is to improve the reproductive health and quality of life for affected individuals and couples.

Keywords: Male infertility, semen analysis, assisted reproductive technology, genetic abnormalities, hormonal imbalances, lifestyle factors

INTRODUCTION

Infertility, defined as the inability to achieve pregnancy after 12 months of regular, unprotected sexual intercourse, affects millions of couples worldwide. Within this context, male infertility contributes to approximately 50% of all infertility cases, either as a sole factor or in conjunction with female factors.¹ Despite its high prevalence, male infertility often remains overshadowed by female infertility in both research and public discourse, leading to a lack of awareness and understanding about its significant impact on affected individuals and couples.²

The study of male infertility encompasses a wide range of disciplines, including endocrinology, genetics, urology, and reproductive medicine, reflecting the complexity of its causes and the multifaceted approaches required for its diagnosis and treatment.³ Advances in medical science over the past decades have significantly improved our understanding of

male reproductive health, yet many aspects of male infertility remain poorly understood, underscoring the need for continued research and education.⁴

Male infertility can result from a variety of factors, including genetic abnormalities, hormonal imbalances, physical obstructions in the reproductive tract, lifestyle influences, and environmental exposures.⁵ These factors can affect spermatogenesis, the process of sperm production, and/or the sperm's ability to fertilize an egg, thereby impairing male fertility.⁶ The consequences of infertility extend beyond the biological inability to conceive, impacting psychological well-being, relationships, and quality of life for many men and their partners.⁷

This review aims to provide a comprehensive overview of the current state of knowledge on male infertility, including its causes, diagnostic approaches, and treatment options.



By synthesizing recent advances in the field, we seek to highlight the importance of a multidisciplinary approach to the management of male infertility, which not only addresses the biological aspects of the condition but also considers the psychological and social implications for affected individuals.⁸ Furthermore, we discuss emerging technologies and future research directions that hold promise for improving diagnostic accuracy and treatment outcomes for men with infertility, ultimately contributing to the broader goals of reproductive health and family planning.⁹

The understanding and management of male infertility are evolving fields, reflecting ongoing research and advances in medical science. As such, this review underscores the dynamic nature of the topic and the continuous need for up-to-date knowledge to inform clinical practice and support those affected by male infertility.¹⁰

Etiology of Male Infertility

Genetic factors: Genetic abnormalities are a significant cause of male infertility, accounting for up to 15% of cases.¹¹ Chromosomal anomalies like Klinefelter syndrome, Y chromosome microdeletions, and mutations in specific genes related to spermatogenesis can severely impact sperm production and function. Genetic screening has become an essential component of the infertility evaluation, allowing for targeted interventions and informed decision-making regarding assisted reproductive technologies (ART).¹²

Hormonal disturbances: Hormones play a crucial role in regulating spermatogenesis and male reproductive function. Disorders affecting the hypothalamic-pituitary-gonadal axis can lead to insufficient production of testosterone and other key hormones, resulting in reduced sperm production and infertility.¹³ Conditions such as hyperprolactinemia, thyroid disorders, and adrenal disorders can also impact fertility through hormonal imbalances. Treatment of these underlying hormonal issues can often restore fertility or improve outcomes with ART.¹⁴

Anatomical and physical obstructions: Obstructions in the male reproductive tract, such as those caused by congenital absence of the vas deferens, epididymal blockages, or scarring from infections or surgeries, can prevent the normal transport of sperm from the testes to the ejaculate.¹⁵ Such conditions can often be corrected surgically, thereby improving the chances of natural conception or facilitating sperm retrieval for use in ART.¹⁶

Lifestyle and environmental factors: Lifestyle choices and environmental exposures have been increasingly recognized for their impact on male fertility. Factors such as smoking, excessive alcohol consumption, illicit drug use, obesity, and exposure to environmental toxins (e.g., pesticides, heavy metals) have been linked to reduced sperm quality and quantity.¹⁷ Additionally, occupational hazards and exposure to heat can also adversely affect spermatogenesis. Modifying these lifestyle factors can improve sperm parameters and overall fertility prospects.¹⁸

Understanding the etiology of male infertility is crucial for the development of effective treatment strategies. By addressing the underlying causes, whether genetic, hormonal, anatomical, or lifestyle-related, clinicians can offer more targeted and successful interventions for couples struggling with infertility.

DIAGNOSTIC EVALUATION

Semen Analysis, Parameters and Interpretation

Semen analysis remains the cornerstone of male infertility evaluation, providing essential information on sperm count, motility, and morphology.¹⁹ Parameters such as semen volume, sperm concentration, total sperm count, vitality, and morphology are assessed according to the World Health Organization (WHO) criteria. Abnormal results may indicate issues with spermatogenesis, obstruction, or ejaculation and require further investigation.²⁰

Hormonal Assessment

Hormonal profiling is crucial for identifying disorders of the hypothalamic-pituitary-gonadal axis that could affect spermatogenesis and overall reproductive health. Measurements typically include follicle-stimulating hormone (FSH), luteinizing hormone (LH), testosterone, and prolactin levels. Abnormal levels may suggest hypogonadism, hyperprolactinemia, or other endocrine disorders requiring targeted treatment.²¹

Genetic Testing in Infertility

For men with severe sperm production issues or specific clinical presentations (such as azoospermia), genetic testing can identify chromosomal anomalies, Y chromosome microdeletions, and mutations in genes affecting fertility. Such tests help in counseling couples about their reproductive options, including the use of donor sperm or the risks of transmitting genetic conditions to offspring.²²

Imaging Modalities (Ultrasound, Magnetic Resonance Imaging (MRI))

Imaging techniques play a role in diagnosing anatomical causes of infertility, such as varicoceles, obstructive azoospermia, and congenital anomalies. Scrotal ultrasound is the most commonly used imaging tool for evaluating the testicles and surrounding structures. MRI may be employed for more detailed assessment of complex cases or when ultrasound findings are inconclusive.²³

The comprehensive diagnostic evaluation of male infertility involves a multimodal approach, incorporating semen analysis, hormonal profiling, genetic testing, and imaging to identify the underlying causes of infertility. This enables the formulation of a targeted treatment plan to address specific issues and improve the chances of successful conception.

Management and Treatment

Lifestyle modifications: Addressing modifiable lifestyle factors is a cornerstone in the management of male infertility. Changes such as reducing alcohol and tobacco use, achieving a healthy weight, and avoiding exposure to environmental toxins have been shown to significantly improve sperm quality and fertility outcomes.²⁴ Dietary modifications, including increased intake of antioxidants, have also been associated with enhanced sperm parameters.²⁵

Pharmacological treatment: For cases of male infertility stemming from hormonal imbalances or specific medical conditions, pharmacological treatments can be effective. Gonadotropins, anti-estrogens (such as clomiphene citrate),

and aromatase inhibitors are among the medications used to improve spermatogenesis by correcting hormonal levels.²⁶ Additionally, the use of antioxidants has gained attention for its potential to reduce oxidative stress, a known cause of sperm DNA damage.²⁷

Surgical interventions: Surgical options for the treatment of male infertility include varicocelectomy for varicocele, transurethral resection of ejaculatory ducts for obstructions, and microsurgical repair of vas deferens or epididymal blockages.²⁸ For azoospermic men, techniques such as microdissection testicular sperm extractin(micro-TESE)are employed to retrieve sperm directly from the testes for use in ART.²⁹

ART:ART, such as in vitro fertilization (IVF) and intracytoplasmic sperm injection (ICSI), has revolutionized the treatment of male infertility, offering hope to couples where other treatments have failed. ICSI, in particular, involves the direct injection of a single sperm into an egg, and is especially beneficial for cases of severe male factor infertility.³⁰ The success of ART procedures depends on various factors, including the underlying cause of infertility, the age of the female partner, and the quality of the sperm and egg.³¹

The management and treatment of male infertility require a personalized approach, taking into consideration the specific causes and circumstances of each case. Through a combination of lifestyle modifications, pharmacological treatments, surgical interventions, and the use of ART, many couples affected by male infertility can achieve their dream of parenthood.

Emerging Technologies and Future Directions

The role of artificial intelligence (AI) in diagnosis: AI and machine learning are revolutionizing the field of male infertility diagnosis by enabling more accurate and efficient analysis of semen parameters. AI algorithms can analyze vast datasets from semen analysis to identify patterns and predict fertility outcomes with higher precision than traditional methods.³² Furthermore, AI can assist in the morphological assessment of sperm, identifying subtle anomalies that may not be visible to the human eye, thus improving the selection process for ART.³³

Advances in sperm retrieval techniques: Recent innovations in sperm retrieval techniques have significantly improved the prospects for men with azoospermia to father biological children. Techniques such as (micro-TESE) have been refined to increase the yield of viable sperm while minimizing tissue damage.³⁴ Additionally, the development of non-invasive methods for sperm retrieval and the use of stem cell technology to generate sperm from somatic cells are areas of ongoing research with the potential to transform the treatment of male infertility.²⁹

Ethical considerations in ART: As ART, including IVF and ICSI, becomes increasingly sophisticated, ethical considerations become more complex. Issues such as the disposition of unused embryos, genetic testing and selection of embryos, and the use of donor gametes raise important questions about consent, privacy, and the welfare of potential offspring.²⁵ The advent of gene editing technologies, such

as CRISPR-Cas9, for correcting genetic defects in embryos further complicates the ethical landscape, necessitating careful consideration of the long-term implications for individuals and society.¹⁸

The integration of emerging technologies into the diagnosis and treatment of male infertility holds promise for improving outcomes for affected individuals and couples. However, these advancements also require careful consideration of ethical implications and the establishment of guidelines to ensure that these technologies are used responsibly and equitably. As the field continues to evolve, ongoing dialogue among clinicians, researchers, ethicists, and patients will be essential to navigate the challenges and opportunities presented by these innovations.

CONCLUSION

The management of male infertility encompasses a complex interplay of diagnostic evaluations, therapeutic interventions, and, increasingly, the application of advanced technologies and ethical considerations. The key points addressed in this review highlight the multifaceted nature of male infertility, underscoring the importance of a comprehensive approach to diagnosis, which includes semen analysis, hormonal assessment, genetic testing, and imaging modalities. Treatment strategies, ranging from lifestyle modifications and pharmacological treatments to surgical interventions and assisted reproductive technologies like IVF and ICSI, have been discussed to illustrate the diverse options available to couples facing this challenge.³³

The importance of a multidisciplinary approach in the management of male infertility cannot be overstated. Collaboration among specialists in urology, endocrinology, genetics, psychology, and reproductive medicine is crucial to address the wide array of factors that can contribute to male infertility. This team-based approach ensures that patients receive holistic care that addresses not only the physical aspects of infertility but also the psychological and emotional impacts, enhancing the overall likelihood of successful treatment outcomes.³⁰

Future research directions in the field of male infertility are poised to further elucidate the underlying mechanisms of male reproductive dysfunction, improve diagnostic accuracy, and develop more effective treatments. Emerging technologies, such as artificial intelligence in diagnosis and advances in sperm retrieval techniques, offer promising avenues for enhancing the precision and efficacy of infertility treatments. Additionally, the ethical considerations surrounding assisted reproductive technologies call for ongoing research and dialogue to navigate the complex moral landscape of modern reproductive interventions. The continued exploration of these areas is essential to advance the science of reproductive medicine and improve the care and outcomes for individuals and couples affected by male infertility.³²

In conclusion, male infertility is a complex condition requiring a nuanced and comprehensive approach to management. By embracing a multidisciplinary strategy and continuing to pursue research in emerging technologies and ethical considerations, the field can move forward in offering effective solutions and hope to those struggling with infertility.

ETHICAL DECLARATIONS

Referee Evaluation Process:

Externally peer-reviewed.

Conflict of Interest Statement:

The authors have no conflicts of interest to declare.

Financial Disclosure:

The authors declared that this study has received no financial support.

Author Contributions:

All of the authors declare that they have all participated in the design, execution, and analysis of the paper, and that they have approved the final version

REFERENCES

1. WHO. Infertility: A global public health issue. 2020.
2. Harlow AF, Zheng A, Nordberg J, Hatch EE, Ransbotham S, Wise LA. A qualitative study of factors influencing male participation in fertility research. *Reprod Health*. 2020;17(1):186. doi: 10.1186/s12978-020-01046-y
3. Jarow JP, Sharlip ID, Belker AM, et al. Best practice policies for male infertility. *J Urol*. 2002;167(5):2138-2144.
4. Barratt CLR, Björndahl L, De Jonge CJ, et al. The diagnosis of male infertility: an analysis of the evidence to support the development of global WHO guidance-challenges and future research opportunities. *Hum Reprod Update*. 2017;23(6):660-680. doi: 10.1093/humupd/dmx021
5. Biggs SN, Kennedy J, Lewis SL, et al. Lifestyle and environmental risk factors for unexplained male infertility: study protocol for Australian Male Infertility Exposure (AMIE), a case-control study. *Reprod Health*. 2023;20(1):32. doi: 10.1186/s12978-023-01578-z
6. McLachlan RI, O'Bryan MK. State of the art for genetic testing of infertile men. *J Clin Endocrinol Metab*. 2010;95(3):1013-1024. doi: 10.1210/jc.2009-1925
7. Schmidt L. Psychosocial burden of infertility and assisted reproduction. *Lancet*. 2006;367(9508):379-380. doi: 10.1016/S0140-6736(06)68117-8
8. Agarwal A, Mulgund A, Hamada A, Chyatte MR. A unique view on male infertility around the globe. *Reprod Biol Endocrinol*. 2015;13:37. doi: 10.1186/s12958-015-0032-1
9. World Health Organization. Recommendations. In: Vayena E, Rowe PJ, Griffin PD, eds. Current practices and controversies in assisted reproduction: report of a meeting on "Medical, Ethical and Social Aspects of Assisted Reproduction" held at WHO Headquarters in Geneva, Switzerland. World Health Organization: 2002:381-396.
10. Krausz C, Riera-Escamilla A. Genetics of male infertility. *Nat Rev Urol*. 2018;15(6):369-384. doi: 10.1038/s41585-018-0003-3
11. Liao C, Walters BW, DiStasio M, Lesch BJ. Human-specific epigenomic states in spermatogenesis. *Comput Struct Biotechnol J*. 2023;23:577-588. doi: 10.1016/j.csbj.2023.12.037
12. Houston BJ, Riera-Escamilla A, Wyrwoll MJ, et al. A systematic review of the validated monogenic causes of human male infertility: 2020 update and a discussion of emerging gene-disease relationships. *Hum Reprod Update*. 2021;28(1):15-29. doi: 10.1093/humupd/dmab030
13. Sofikitis N, Giotitsas N, Tsounapi P, Baltogiannis D, Giannakis D, Pardalidis N. Hormonal regulation of spermatogenesis and spermiogenesis. *J Steroid Biochem Mol Biol*. 2008;109(3-5):323-330. doi: 10.1016/j.jsbmb.2008.03.004
14. Fink J, Ide H, Horie S. Management of male fertility in hypogonadal patients on testosterone replacement therapy. *Medicina*. 2024;60(2):275. doi: 10.3390/medicina60020275
15. Schlegel PN. Causes of azoospermia and their management. *Reprod Fertil Dev*. 2004;16(5):561-572. doi: 10.10371/RD03087
16. Esteves SC, Miyaoka R, Agarwal A. Surgical treatment of male infertility in the era of intracytoplasmic sperm injection - new insights. *Clinics*. 2011;66(8):1463-1478. doi: 10.1590/s1807-59322011000800026
17. Sharma R, Harlev A, Agarwal A, Esteves SC. Cigarette smoking and semen quality: a new meta-analysis examining the effect of the 2010 World Health Organization laboratory methods for the examination of human semen. *Eur Urol*. 2016;70(4):635-645. doi: 10.1016/j.eururo.2016.04.010
18. SCooper TG, Noonan E, von Eckardstein S, et al. World Health Organization reference values for human semen characteristics. *Hum Reprod Update*. 2010;16(3):231-245. doi: 10.1093/humupd/dmp048
19. Esteves SC. Novel concepts in male factor infertility: clinical and laboratory perspectives. *J Assist Reprod Genet*. 2016;33(10):1319-1335. doi: 10.1007/s10815-016-0763-8
20. Nair S, Jadhav S, Lila A, et al. Spectrum of phenotype and genotype of congenital isolated hypogonadotropic hypogonadism in Asian Indians. *Clin Endocrinol*. 2016;85(1):100-109. doi: 10.1111/cen.13009
21. Krausz C, Riera-Escamilla A. Genetics of male infertility. *Nat Rev Urol*. 2018;15(6):369-384. doi: 10.1038/s41585-018-0003-3
22. Lotti F, Maggi M. Ultrasound of the male genital tract in relation to male reproductive health. *Hum Reprod Update*. 2015;21(1):56-83. doi: 10.1093/humupd/dmu042
23. Sharma R, Biedenharn KR, Fedor JM, Agarwal A. Lifestyle factors and reproductive health: taking control of your fertility. *Reprod Biol Endocrinol*. 2013;11:66. doi: 10.1186/1477-7827-11-66
24. Salas-Huetos A, Bulló M, Salas-Salvadó J. Dietary patterns, foods and nutrients in male fertility parameters and fecundability: a systematic review of observational studies. *Hum Reprod Update*. 2017;23(4):371-389. doi: 10.1093/humupd/dmx006
25. Tan KA, De Gendt K, Atanassova N, et al. The role of androgens in sertoli cell proliferation and functional maturation: studies in mice with total or sertoli cell-selective ablation of the androgen receptor. *Endocrinol*. 2005;146(6):2674-2683. doi: 10.1210/en.2004-1630
26. Agarwal A, Majzoub A, Esteves SC, Ko E, Ramasamy R, Zini A. Clinical utility of sperm DNA fragmentation testing: practice recommendations based on clinical scenarios. *Transl Androl Urol*. 2016;5(6):935-950. doi: 10.21037/tau.2016.10.03
27. Al Bakri A, Lo K, Grober E, Cassidy D, Cardoso JP, Jarvi K. Time for improvement in semen parameters after varicocelelectomy. *J Urol*. 2012;187(1):227-231. doi: 10.1016/j.juro.2011.09.041
28. Schlegel PN. Testicular sperm extraction: microdissection improves sperm yield with minimal tissue excision. *Hum Reprod*. 1999;14(1):131-135. doi: 10.1093/humrep/14.1.131
29. Palermo G, Joris H, Devroey P, Van Steirteghem AC. Pregnancies after intracytoplasmic injection of single spermatozoon into an oocyte. *Lancet*. 1992;340(8810):17-18. doi: 10.1016/0140-6736(92)9242f
30. Sakkas D, Ramalingam M, Garrido N, Barratt CL. Sperm selection in natural conception: what can we learn from mother nature to improve assisted reproduction outcomes? *Hum Reprod Update*. 2015;21(6):711-726. doi: 10.1093/humupd/dmv042
31. Agarwal A, Baskaran S, Parekh N, et al. Male infertility. *Lancet*. 2021;397(10271):319-333. doi: 10.1016/S0140-6736(20)32667-2
32. Schlegel PN, Sigman M, Collura B, et al. Diagnosis and treatment of infertility in men: AUA/ASRM guideline part I. *J Urol*. 2021;205(1):36-43. doi: 10.1097/JU.0000000000001521
33. Tournaye H, Krausz C, Oates RD. Novel concepts in the aetiology of male reproductive impairment. *Lancet Diab Endocrinol*. 2017;5(7):544-553. doi: 10.1016/S2213-8587(16)30040-7

Belgin Devranoglu

Born 1966 in İstanbul, is an alumnus of Marmara University's Faculty of Medicine (1984-1990) and TED Ankara College (1977-1984). Her medical journey commenced in 1990 at Bakırköy State Hospital's Emergency Department, transitioning to Zeynep Kamil Hospital as an assistant (1994-1998), then Chief Assistant (1998-2005), and later as IVF Unit Manager at Kadıköy Şifa Hospital (2005-2006). Since 2006, she's been part of the ART Center at Zeynep Kamil Hospital. Devranoglu has fortified her academic stature with her associate professorship in 2017, alongside accruing certifications in IVF, Neonatal Resuscitation, and Perinatology, evidencing her commitment to medical excellence.

